

XXF



AIR-RECYCLING SEPARATOR

This AIR-RECYCLING SEPARATOR is a grain cleaning machine designed to separate dust, husks, and light particles from materials such as wheat, rye, barley, oats, corn, and soybeans. Its air-recycling system enhances energy efficiency and minimizes dust emission—making it a reliable and eco-friendly solution for modern grain processing operations.



info@g-grain.com

More details please visit www.g-grain.com and download



- ① MATERIAL INLET
- ② MATERIAL OUTLET
- ③ IMPURITIES OUTLET

| Model | Capacity (t/h) | | Aspiration Volume (m ³ /min) | | Power (kW) | Dimensions (L×W×H) (mm) |
|---------|----------------|--------------|---|--------------|------------|-------------------------|
| | Cleaning | Pre-cleaning | Cleaning | Pre-cleaning | | |
| XXF-60 | 9 | 35 | 4 | 6 | 1.5+0.75 | 1560×1080×2325 |
| XXF-80 | 13 | 45 | 5 | 9 | 1.5+1.1 | 1760×1080×2325 |
| XXF-100 | 16 | 60 | 6 | 10 | 1.5+1.1 | 1960×1080×2325 |
| XXF-125 | 20 | 75 | 7 | 11 | 2.2+1.1 | 2280×1080×2325 |
| XXF-150 | 24 | 90 | 8 | 12 | 2.2x2+1.5 | 2736×1080×2325 |
| XXF-180 | 28 | 105 | 10 | 14 | 2.2x2+2.2 | 3036×1080×2325 |
| XXF-200 | 32 | 120 | 12 | 18 | 2.2x2+2.2 | 3236×1080×2325 |

Note: Wheat capacity, referring to the separation of light materials.